



























UNIFORM CODING SYSTEM FOR
SOIL EROSION AND SEDIMENT CONTROL PRACTICES

| CODE | PRACTICE | DETAIL | MAP SYMBOL | DESCRIPTION |
|------------|---|---|---|--|
| Sd2 | SEDIMENT BASIN, TEMPORARY |  |  | A BASIN CREATED BY EXCAVATION OR A DAM ACROSS A WATERWAY. THE SURFACE WATER RUNOFF IS TEMPORARILY STORED ALLOWING THE BULK OF THE SEDIMENT TO DROP OUT. THE BASIN IS USUALLY TEMPORARY BUT MAY BE DESIGNED AS A PERMANENT POND OR STORMWATER RETENTION DEVICE. |
| Sd3 | SEDIMENT TRAP, TEMPORARY |  |  | AN IMPOUNDING AREA CREATED BY EXCAVATING AROUND A STORM DRAIN DROP INLET. THE EXCAVATED AREA WILL BE FILLED AND STABILIZED ON COMPLETION OF CONSTRUCTION ACTIVITIES. |
| Sr | STREAM CROSSING, TEMPORARY |  |  | A TEMPORARY BRIDGE OR CULVERT-TYPE STRUCTURE PROTECTING A STREAM OR WATERCOURSE FROM DAMAGE BY CROSSING CONSTRUCTION EQUIPMENT. |
| St1 | STORM DRAIN INLET/OUTLET PROTECTION |  |  | A PAVED OR SHORT SECTION OF RIPRAP CHANNEL AT THE OUTLET OF A STORM DRAIN SYSTEM PREVENTING EROSION FROM THE CONCENTRATED RUNOFF. SEE DETAIL 6.09. |
| St2 | STORM WATER RETENTION STRUCTURE |  |  | A STRUCTURE TEMPORARILY STORING STORM WATER RUNOFF AND RELASING IT SLOWLY. |
| Su | SURFACE ROUGHENING |  |  | A ROUGH SOIL SURFACE WITH HORIZONTAL DEPRESSIONS ON A CONTOUR OR SLOPES LEFT IN A ROUGHENED CONDITION AFTER GRADING. |
| Tp | TOPSOILING |  |  | THE PRACTICE OF STRIPPING OFF THE MORE FERTILE TOP SOIL, STORING IT, THEN SPREADING IT OVER THE DISTURBED AREA AFTER THE COMPLETION OF CONSTRUCTION ACTIVITIES. |
| Wt | VEGETATED WATERWAY OR STORMWATER CONVEYANCE CHANNEL |  |  | PAVED OR VEGETATIVE WATER OUTLETS FOR DIVERSIONS, TERRACES, BERMS, DIKES OR SIMILAR STRUCTURES. |

VEGETATIVE PRACTICES

| | | | | |
|------------|--|---|---|---|
| Bf | BUFFER ZONE |  |  | AN UNDISTURBED NATURAL "GREEN BELT" SEPARATING THE LAND-DISTURBED SITE FROM SURROUNDING PROPERTY AND BORDERING STREAMS. IT SERVES TO REDUCE WATER VELOCITY AND REMOVE SOME SEDIMENT. IT IS ALSO AT TIMES A NOISE OR "VISION POLLUTION" BARRIER. |
| Ds1 | DISTURBED AREA STABILIZATION (WITH TEMPORARY SEEDING) |  |  | ESTABLISHING A TEMPORARY VEGETATIVE COVER WITH FAST GROWING SEEDINGS ON DISTURBED AREAS. |
| Ds2 | DISTURBED AREA STABILIZATION (WITH PERMANENT VEGETATION) |  |  | ESTABLISHING PERMANENT VEGETATIVE COVER SUCH AS TREES, SHRUBS, VINES, GRASSES, SOD, OR LEGUMES ON DISTURBED AREAS. |
| Ds3 | DISTURBED AREA STABILIZATION (WITH MULCHING ONLY) |  |  | ESTABLISHING TEMPORARY PROTECTION FOR DISTURBED AREAS WHERE SEEDINGS MAY NOT HAVE A SUITABLE GROWING SEASON TO PRODUCE AN EROSION RETARDING COVER. |
| Du | DUST CONTROL ON DISTURBED AREAS |  |  | CONTROLLING SURFACE AND AIR MOVEMENT OF DUST ON CONSTRUCTION SITES, ROADWAYS AND SIMILAR SITES. |